

HOW TO USE

Dilute with water and apply every 7-14 days from seedling to the first sign of blossoms. Use lower rates for younger plants and increase with plant maturity.

Because our products are 100% natural, there are a broad range of usage rates that will vary depending on crop type, plant maturity, nutrient requirement and application methods.

INSTRUCTIONS

SHAKE WELL before use. Mix only what you need for one application at a time. Do not store in diluted form.

SEEDLINGS

Mix 12.5-20 ml with 1 liter of water, or. 1.25 L-2 L with 100 L of water per acre.

FOLIAR SPRAY

Mix 12.5-40 ml with 1 liter of water, or 1,25-4 L with 100 L of water per acre.

SOIL DRENCH

Mix 20-60 ml with 1 liter of water, or 2-6 L with 100 L of water per acre.

DRIP IRRIGATION

Apply after rain, or water first to help the soil absorb. Mix 2-8 L with 100 L of water per acre. Flush lines with water after each application.

SOJA GROW

BIOSTIMULANT

A natural growth aid rich in readily-available amino acids, peptides and natural plant growth hormones. For general use with all plants, vegetables, fruits, herbs, cannabis, shrubs and trees as part of a wellmanaged fertility program.

BENEFITS

- TRANSPLANT AID
- **INCREASES ROOT MASS & DEPTH**
- ALLEVIATES ABIOTIC STRESS
- PROMOTES VIGOROUS GROWTH
- IMPROVES DROUGHT TOLERANCE
- **IMPROVES DISEASE RESISTANCE**
- SUPPORTS HIGHER YIELDS
- **DIRECTLY FEEDS SOIL MICROBIOLOGY**



1 LITER

5 LITERS

INGREDIENTS

Fish Hydrolysate 85.9% Moringa Leaf Extract 12.5% Phosphoric Acid 1.0% Seaweed Oligosaccharides 0.6% TOTAL 100.0%

GUARANTEED ANALYSIS

Nitrogen 1.36 g/L Phosphate 5.78 g/L Potassium 1.39 g/L 5.3 рΗ

STORAGE

Store in a cool place away from direct sunlight. Dispose of empty container according to local regulations

CAUTIONS

Use only as directed. Not for human consumption. In case of ingestion drink lots of water. Consult a doctor if needed.

Generally miscible with other fertilizers and pesticides. When in doubt, test a small area first to determine compatibility. Do not mix directly, always add to tank after water.

No warranty is expressed nor implied. Timing and method of application, weather, watering practices, nature of soil, insects and other influencing factors are beyond the seller's control. Buver assumes all risk of use, storage and handling not in accordance with manufacturer's instructions.

Average Usage Rate 5 Liters / Acre

Remember, it is better to fertilize more often with less than less often with more.











AMAICAN ORGANICS