



HOW TO USE

Dilute with soft water for best results. If not available, use rain water. Always start with lowest usage rates first. Apply as a foliar spray in early morning or evening out of direct sunlight and below 30°C. Spray all plant surfaces including stems and both sides of the leaves until thoroughly soaked. Recommended withholding period is 7 days before harvest. Allow at least 4 days between last application and harvest.

INSTRUCTIONS

Do not shake. Mix gently. Mix only what you need for one application at a time. Do not store in diluted form.

TO PREVENT

Mix 6-10 ml with 1 liter of water and test on a small area first. Apply every 7-10 days. For larger areas, mix 0.6-1 L with 100 L of water per acre.

TO TREAT

Mix 10-30 ml with 1 liter of water and spray as soon as possible. Repeat every other day until pests are gone. For larger areas, mix 1-3 L in 100 L of water per acre.

Once pests are eliminated, continue to spray every 7-10 days to prevent reinfestation.

STORAGE & DISPOSAL

Keep tightly closed out of reach of children. Store in a cool place away from direct sunlight. Do not contaminate water, food or feed by storage or disposal. Rinse out unused product and container. Do not re-use container. Dispose of empty container according to local regulations.

1 Liter treats an acre



LEAF GUARD

INSECTICIDAL SOAP CROP PROTECTANT

A natural multi-purpose crop protectant used to control a variety of pests including:

- POWDERY MILDEW
- RUST
- SOOTY MOLD
- PESTMITES
- THRIPS
- WHITEFLIES
- SCALE INSECTS
- MEALYBUGS
- PLANT BUGS
- LACE BUGS
- CATERPILLARS
- WEBWORMS
- CODLING MOTH
- ARMYWORM
- HORNWORM
- LEAF ROLLERS
- APHIDS
- ADELGRID
- PSYLLIDS
- SAWFLY LARVAE
- LEAF BEETLE LARVAE
- LEAF MINERS

Regular application creates an environment that is hostile to pests and fungal spores, but not to plants or beneficial pollinators when used as directed.

Leaf Guard also acts as a wetting agent to improve the adhesion, spreading, and penetration of other herbicides, pesticides, and nutrient foliar sprays.

BENEFITS

- HELPS PREVENT INFESTATION
- KILLS BY CONTACT & INGESTION
- REDUCES NEED FOR PESTICIDE
- ENSURES BETTER COVERAGE
- ASSISTS DELIVERY OF NUTRIENTS
- NO RESIDUES - 100% BIODEGRADABLE
- FOR ADULT, NYMPH, AND LARVAL STAGES

ENVIRONMENTAL IMPACT

100% biodegradable. No significant impact on the environment. Non-toxic to birds, fish, and bees. Hazardous to aquatic invertebrates. Do not apply directly to water bodies. Do not contaminate ponds, waterways, and ditches by cleaning equipment and disposal of wash-water.

INGREDIENTS

ACTIVE INGREDIENTS

Potassium Salts of Fatty Acids 56.75%

INERT INGREDIENTS 43.25%

TOTAL (w/v) 100.00%

pH 9.8

CAUTIONS

Use only as directed. Do not mix with strong acids or bases. Do not use on nasturtiums, sweet peas and delicate ferns. Take care on seedlings, transplants, and flowers. Always test for phytotoxicity on a small area first. Avoid spraying plants already stressed from heat (30°C) or moisture deficiency. Rehydrate plants for 3 days before applying.

No warranty is expressed nor implied. Timing and method of application, weather, watering practices, nature of soil, the insect problem and other influencing factors are beyond the seller's control. Buyer assumes all risk of use, storage and handling not in accordance with manufacturer's instructions.

Do not consume. May cause temporary irritation of the skin and eyes. Use gloves and goggles to avoid contact with skin and eyes. Wear a mask while spraying to avoid inhalation.

FIRST AID

IF SWALLOWED, rinse mouth out with water for 15 minutes. Do not induce vomiting. Consult a doctor to treat any symptoms.

IF IN EYES, flush from eyes with plenty of water for 15 minutes. Remove contact lenses if present and continue flushing. Consult a doctor if needed.

IF ON SKIN, wash with soap & water.

IF INHALED, move to fresh air. Consult a doctor if needed.

(876) 224 4384



SALES@JAMAICANORGANICS.COM

MANUFACTURED IN JAMAICA BY:

JAMAICAN SOIL ORGANICS LIMITED

POTSDAM DISTRICT, ST. ELIZABETH PARISH

